

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
<b>ACTi KCM-3211</b>	<b>5.04.06</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>2 / 2(VMD)</b>	✓	<b>Type 1 or 3</b>	<b>Two-Way</b>	✓		<b>Admin</b>
<b>ACTi KCM-3911</b>	<b>5.04.06</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>2 / 2(VMD)</b>	✓	<b>Type 1 or 3</b>	<b>Two-Way</b>	✓		<b>Admin</b>
ACTi TCM-1231	V4.06.09, <b>V4.10.07</b>	C	1	JPEG/MPEG4/H.264		1 / 1(VMD)	-	-	Two-Way	-		Admin
ACTi TCM-1511	V4.06.09, <b>V4.10.07</b>	C	1	JPEG/MPEG4/H.264		1 / 1(VMD)	-	-	Two-Way	-		Admin
ACTi TCM-3011	V4.08.05, <b>V4.10.07</b>	C	1	JPEG/MPEG4/H.264		1 / 1(VMD)	-	-	Two-Way	-		Admin
ACTi TCM-3411	V4.07.15, <b>V4.10.07</b>	C	1	JPEG/MPEG4/H.264		1 / 1(VMD)	-	-	Two-Way	-		Admin
ACTi TCM-3511	V4.07.15, <b>V4.10.07</b>	C	1	JPEG/MPEG4/H.264		1 / 1(VMD)	-	-	Two-Way	-		Admin
ACTi TCM-5311	V4.04.06, <b>V4.10.07</b>	C	1	JPEG/MPEG4/H.264		1 / 1(VMD)	-	-	Two-Way	-		Admin
ACTi TCM-5601	V4.06.09, <b>V4.10.07</b>	C	1	JPEG/MPEG4/H.264		1 / 1(VMD)	-	-	Two-Way	-		Admin
<b>ACTi TCM-6630</b>	<b>4.10.07</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	✓	<b>Type 1 or 3</b>	<b>Two-Way</b>	✓		<b>Admin</b>

Device Name	Tested Firmware	Device Type	Video Chan.	Video Format	Mega-pixel	I/O Channels	PTZ	PTZ Presets	Audio	PTZ Joystick Support	On-Edge Analytics	Required Username
ACTi TCM-7411	V4.07.15, <b>V4.10.07</b>	C	1	JPEG/ MPEG4/ H.264		1 / 1(VMD)	-	-	Two-Way	-		Admin
<b>Arecont AV1115</b>	<b>65200</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1 / 1(VMD)</b>	-	-	-	-		-
<b>Arecont AV1125</b>	<b>65200</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1 / 1(VMD)</b>	-	-	-	-		-
Arecont AV3135	65130, <b>65136</b>	C	1	JPEG/ H.264		1 / 1(VMD)	-	-	-	-		-
Arecont AV8185	65031, <b>65034</b>	C	4	JPEG/ H.264		0 / 0	-	-	-	-		-
Axis P1343	5.06, 5.22.2, <b>5.40.4</b>	C	1	JPEG/ H.264		1 / 1(P)(VMD)(A, B, Ta)	-	-	Two-Way	-		root
Axis P1344	5.06, 5.22.2, <b>5.40.4</b>	C	1	JPEG/ H.264		1 / 1(P)(VMD)(A, B, Ta)	-	-	Two-Way	-		root
Axis P3304	5.11, <b>5.40.4</b>	C	1	JPEG/ H.264		1 / 1(P)(VMD)(A, B, Ta)	-	-	One-Way	-		root
Axis P3343	5.05, 5.20.2, <b>5.40.4</b>	C	1	JPEG/ H.264		1 / 1(P)(VMD)(A, B, C, Ta)	-	-	One-Way	-		root
Axis P3344	5.05, 5.07, 5.20.2, <b>5.40.4</b>	C	1	JPEG/ H.264		1 / 1(P)(VMD)(A, B, C, Ta)	-	-	Two-Way	-		root
Axis P3346	5.20, <b>5.40.4</b>	C	8	JPEG/ H.264		1 / 1(P)(VMD)(A, B, Ta)	-	-	Two-Way	-		root

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
Axis P3346-E	5.20, <b>5.40.4</b>	C	8	JPEG/ H.264		1 / 1(P)(VMD)(A, B, Ta)	-	-	Two-Way	-		root
<b>Axis P3367-V</b>	<b>5.40.3</b>	C	8	JPEG/ H.264		1 / 1(P)(VMD)(A, Ta)	-	-	<b>Two-Way</b>	-		<b>root</b>
<b>Axis P3367-VE</b>	<b>5.40.3</b>	C	8	JPEG/ H.264		1 / 1(P)(VMD)(A, Ta)	-	-	<b>Two-Way</b>	-		<b>root</b>
<b>Basler BIP2-D1920c-dn</b>	<b>Bip-3.3.0</b>	C	1	JPEG/ MPEG4/ H.264		1-Jan	✓	Type3	-	-		<b>root</b>
<b>Bosch Autodome 200/300/500 Series (Hardware ID F002Exx)</b>	<b>4.54</b>	C	1	JPEG/ MPEG4		0 / 0	✓	Type 3	-	✓		<b>service</b>
<b>Bosch Autodome 700 IP</b>	<b>4.53</b>	C	1	JPEG		0 / 0	-	-	-	-		<b>service</b>
<b>Bosch Autodome 700 Series</b>	<b>9500453</b>	C	1	JPEG		2 / 1(VMD)(Ta)	✓	Type 3	Two-Way	✓		<b>service</b>
Bosch Autodome Easy II IP	4.10, <b>4.53</b>	C	1	JPEG		0 / 0	-	-	-	-		service
Bosch NBC-200 series	39500410, <b>4.54</b>	C	1	JPEG/ MPEG4/ H.264		0 / 0	✓	Type 2	One-Way	✓		service
<b>Bosch NBC-225-P</b>	<b>4.54</b>	C	1	JPEG/ H.264		0 / 1	✓	Type 2	One-Way	✓		<b>service</b>

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
<b>Bosch NBC-225-W</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>
<b>Bosch NBC-225-W</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>
<b>Bosch NBC-255-P</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>
<b>Bosch NBC-265-P</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>
<b>Bosch NBC-265-W</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>
<b>Bosch NBC-455-P</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>-</b>	<b>-</b>	<b>One-Way</b>	<b>-</b>		<b>service</b>
Bosch NBN-498-11P	4.10, 4.54	C	1	JPEG		0 / 1	-	-	One-Way	-		service
<b>Bosch NDC-225-P</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>
<b>Bosch NDC-255-P</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>
<b>Bosch NDC-255-PI</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>
<b>Bosch NDC-265-P</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>
<b>Bosch NDN-455-P</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG</b>		<b>0 / 1</b>	<b>-</b>	<b>-</b>	<b>One-Way</b>	<b>-</b>		<b>service</b>
<b>Bosch NDN-498-P</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG</b>		<b>0 / 1</b>	<b>-</b>	<b>-</b>	<b>One-Way</b>	<b>-</b>		<b>service</b>
<b>Bosch NEI-30</b>	<b>4.54</b>	<b>C</b>	<b>1</b>	<b>JPEG</b>		<b>0 / 1</b>	<b>-</b>	<b>-</b>	<b>One-Way</b>	<b>-</b>		<b>service</b>
<b>Bosch NTC-255-PI</b>	<b>4.54</b>	<b>Sens</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>0 / 1</b>	<b>✓</b>	<b>Type 2</b>	<b>One-Way</b>	<b>✓</b>		<b>service</b>

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
<b>Bosch VIP X1 XF-E</b>	<b>9500453</b>	<b>VS</b>	<b>1</b>	<b>JPEG</b>		<b>2 / 2(VMD)(Ta)</b>	✓	<b>Type 3</b>	<b>Two-Way</b>	✓		<b>service</b>
<b>Bosch VOT-320V</b>	<b>9500453</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>2 / 2(VMD)(Ta)</b>	✓	<b>Type 3</b>	<b>Two-Way</b>	✓		<b>service</b>
<b>Brickcom CB-500Ap</b>	<b>3.2.0.1</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	-	-	<b>Two-Way</b>	-		<b>admin</b>
<b>Brickcom FB-500Ap</b>	<b>3.2.0.1</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	-	-	<b>Two-Way</b>	-		<b>admin</b>
<b>Brickcom WCB-500Ap</b>	<b>3.2.0.1</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	-	-	<b>Two-Way</b>	-		<b>admin</b>
<b>Brickcom WFB-500Ap</b>	<b>3.2.0.1</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	-	-	<b>Two-Way</b>	-		<b>admin</b>
<b>Eneo GLC-1601</b>	<b>1.31</b>	<b>C</b>	<b>1</b>	<b>JPEG MPEG4</b>		<b>0 / 0(VMD)</b>	✓	<b>Type 3</b>	<b>One-Way</b>	-		<b>admin</b>
<b>Honeywell HCD5MIHX</b>	<b>13.1.2</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>Jan-00</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Honeywell HD3MDIH</b>	<b>11.0.7</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>Jan-00</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Honeywell HD4MDIH</b>	<b>12.0.7</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>Jan-00</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
IQEye 4 series	3.0/3, 3.0/6, <b>3.3/1</b>	C	1	JPEG		0 / 0(VMD)	-	-	-	-		root
IQEye 700 series	2.6/114, 2.6/2 2.7/3, 2.8/2, 2.8/6, 3.0/2, 3.0/4, <b>3.1/2</b>	C	1	JPEG		1 / 1(VMD)	-	-	-	-		root
IQEye IQ732	3.1/2, 3.2/4, <b>3.3/2</b>	C	1	JPEG/H.264		1 / 1(VMD)	-	-	One-Way	-		root

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
JVC VN-V25U	1.00, 1.01, 1.02, 2.02, <b>2.03</b>	C	1	JPEG/MPEG4		2 / 2(VMD)	-	-	-	-		admin
JVC VN-V26U	1.00, 2.02, <b>2.03</b>	C	1	JPEG/MPEG4		2 / 2(VMD)	-	-	Two-Way	-		admin
JVC VN-V685U	1.00, 3.03, <b>3.04</b>	C	1	JPEG/MPEG4		2 / 2(VMD)	✓	Type 3	-	✓		admin
JVC VN-V686BU/ V686WPBU	3.03, <b>3.04</b>	C	1	JPEG/MPEG4		2 / 2(VMD)	✓	Type 3	-	✓		admin
<b>Panasonic WV-SF132</b>	<b>1.03</b>	C	1	JPEG/H.264		0 / 0(VMD)	-	-	-	-		admin
<b>Panasonic WV-SF135</b>	<b>1.03</b>	C	1	JPEG/H.264		0 / 0(VMD)	-	-	-	-		admin
<b>Panasonic WV-SW152</b>	<b>1.03</b>	C	1	JPEG/H.264		0 / 0(VMD)	-	-	-	-		admin
<b>Panasonic WV-SW155</b>	<b>1.03</b>	C	1	JPEG/H.264		0 / 0(VMD)	-	-	-	-		admin
Pelco Endura NET5401T	1.4.9, 1.7.8, <b>1.7.20</b>	VS	1	JPEG/H.264		1-Jan	✓	<b>Type 3</b>	One-way	✓		admin
Pelco Endura NET5402T	1.4.9, 1.7.8, <b>1.7.20</b>	VS	2	JPEG/H.264		1-Jan	✓	<b>Type 3</b>	One-way	✓		admin
Pelco Endura NET5404T	1.4.9, 1.7.8, <b>1.7.20</b>	VS	4	JPEG/H.264		1-Jan	✓	<b>Type 3</b>	One-way	✓		admin
<b>Pelco ESTI3100</b>	<b>1.7.8</b>	C	1	JPEG/MPEG4/H.264		1-Jul	✓	<b>Type 3</b>	<b>One-Way</b>	✓		admin
<b>Pelco ESTI314</b>	<b>1.7.8</b>	C	1	JPEG/MPEG4/H.264		1-Jul	✓	<b>Type 3</b>	<b>One-Way</b>	✓		admin

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
<b>Pelco ESTI335</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1-Jul</b>	✓	<b>Type 3</b>	<b>One-Way</b>	✓		<b>admin</b>
<b>Pelco ESTI350</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1-Jul</b>	✓	<b>Type 3</b>	<b>One-Way</b>	✓		<b>admin</b>
<b>Pelco ESTI6100</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1-Jul</b>	✓	<b>Type 3</b>	<b>One-Way</b>	✓		<b>admin</b>
<b>Pelco ESTI635</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1-Jul</b>	✓	<b>Type 3</b>	<b>One-Way</b>	✓		<b>admin</b>
<b>Pelco ESTI650</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1-Jul</b>	✓	<b>Type 3</b>	<b>One-Way</b>	✓		<b>admin</b>
Pelco IDE20	1.3.4.9111, 1.4.9, 1.5.9, <b>1.7.41</b>	C	1	JPEG/H.264		1-Jan	-	-	One-Way	-		admin
Pelco IEE20	1.5.9, <b>1.7.41</b>	C	1	JPEG/H.264		1-Jan		-	One-Way	-		admin
Pelco IM10	1.3.10.9260, 1.4.9, 1.5.9, <b>1.7.41</b>	C	1	JPEG/H.264		1-Jan		-	One-Way	-		admin
Pelco IMS0	1.3.10.9260, 1.4.9, 1.5.9, <b>1.7.41</b>	C	1	JPEG/H.264		1-Jan		-	One-Way	-		admin
Pelco IX10	1.3.7, 1.4.9, 1.5.9, <b>1.7.41</b>	C	1	JPEG/H.264		1-Jan	-	-	One-Way	-		admin
Pelco IXS0	1.3.7, 1.4.9, 1.5.9, <b>1.7.41</b>	C	1	JPEG/MPEG4/H.264		1-Jan	-	-	One-Way	-		admin
<b>Pelco TI106</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>admin</b>

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
<b>Pelco TI3100</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Pelco TI314</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Pelco TI335</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Pelco TI350</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Pelco TI6100</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Pelco TI614</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Pelco TI635</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Pelco TI650</b>	<b>1.7.8</b>	<b>C</b>	<b>1</b>	<b>JPEG/ H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>admin</b>
<b>Samsung SPE-100</b>	<b>1.2</b>	<b>VS</b>	<b>1</b>	<b>JPEG/ MPEG4/ H.264</b>		<b>0 / 1</b>	✓	<b>Type 2 &amp; 3</b>	<b>One-Way</b>	✓		<b>admin</b>
<b>Samsung SPE-400</b>	<b>1.2</b>	<b>VS</b>	<b>4</b>	<b>JPEG/ MPEG4/ H.264</b>		<b>0 / 1</b>	✓	<b>Type 2 &amp; 3</b>	<b>One-Way</b>	✓		<b>admin</b>
<b>Siqura HSD626</b>	<b>3.9.0</b>	<b>C</b>	<b>1</b>	<b>JPEG/ MPEG4/ H.264</b>		<b>8 / 1(VMD)</b>	✓	<b>Type 3</b>	<b>Two-Way</b>	✓		<b>admin</b>
<b>Sony SNC-DH120</b>	<b>1.13.00, 1.50.00</b>	<b>C</b>	<b>1</b>	<b>JPEG/ MPEG4/ H.264</b>		<b>1 / 1 (VMD)(Ta)</b>	✓	<b>Type 3</b>	-	✓		<b>admin</b>

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
<b>Sony SNC-EP550</b>	<b>1.51.00</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>2 / 1(VMD)(Va)</b>	✓	<b>Type 1 &amp; 2</b>	<b>Two-Way</b>	✓		<b>admin</b>
Sony SNC-EP580	1.4	C	1	JPEG/MPEG4/H.264		2 / 1(VMD)(Va)	✓	Type 1 & 2	Two-Way	✓		admin
Sony SNC-ER520	1.4	C	1	JPEG/MPEG4/H.264		2 / 1(VMD)(Va)	✓	Type 1 & 2	Two-Way	✓		admin
Sony SNC-ER521	1.4	C	1	JPEG/MPEG4/H.264		2 / 1(VMD)(Va)	✓	Type 1 & 2	Two-Way	✓		admin
<b>Sony SNC-ER550</b>	<b>1.51.00</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>2 / 1(VMD)(Va)</b>	✓	<b>Type 1 &amp; 2</b>	<b>Two-Way</b>	✓		<b>admin</b>
<b>Toshiba IK-WB80A</b>	<b>0100c</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4</b>		<b>1 / 1(VMD)</b>	✓	<b>Type 2</b>	<b>Out</b>	-		<b>root</b>
<b>Vivotek FD8134</b>	<b>0106b</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 0(VMD)(TA)</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek FD8162</b>	<b>0101a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek FD8162V</b>	<b>0102c</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 0(VMD)(TA)</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek FD8361</b>	<b>0203a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)(TA)</b>	-	-	<b>One-Way</b>	-		<b>root</b>

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
<b>Vivotek FD8361L</b>	<b>0203a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)(TA)</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek FD8362(E)</b>	<b>0101a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)(TA)</b>	-	-	<b>One-Way</b>	-		<b>root</b>
Vivotek IP7361	0100g, <b>0200b</b>	C	1	JPEG/MPEG4		1 / 1(VMD)	✓	Type 3	Two-Way	✓		root
<b>Vivotek IP8151P</b>	<b>0301e</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek IP8162P</b>	<b>0101h</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1-Jan</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek IP8332</b>	<b>0106c</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 0(VMD)(TA)</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek IP8352</b>	<b>0101a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)(TA)</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek IP8362</b>	<b>0102e</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)(Ta)</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek MD8562</b>	<b>0103a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 0(VMD)(Ta)</b>	-	-	<b>One-Way</b>	-		<b>root</b>
<b>Vivotek MD8562D</b>	<b>0103a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 0(VMD)(Ta)</b>	-	-	<b>One-Way</b>	-		<b>root</b>

<i>Device Name</i>	<i>Tested Firmware</i>	<i>Device Type</i>	<i>Video Chan.</i>	<i>Video Format</i>	<i>Mega-pixel</i>	<i>I/O Channels</i>	<i>PTZ</i>	<i>PTZ Presets</i>	<i>Audio</i>	<i>PTZ Joystick Support</i>	<i>On-Edge Analytics</i>	<i>Required Username</i>
<b>Vivotek SD8362E</b>	<b>0103a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	<b>-</b>	<b>-</b>	<b>One-Way</b>	<b>-</b>		<b>root</b>
<b>Vivotek SD83x1E</b>	<b>0101a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	<b>-</b>	<b>-</b>	<b>One-Way</b>	<b>-</b>		<b>root</b>
<b>Vivotek SD83x2E</b>	<b>0101a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	<b>-</b>	<b>-</b>	<b>One-Way</b>	<b>-</b>		<b>root</b>
<b>Vivotek SD83x3E</b>	<b>0101a</b>	<b>C</b>	<b>1</b>	<b>JPEG/MPEG4/H.264</b>		<b>1 / 1(VMD)</b>	<b>-</b>	<b>-</b>	<b>One-Way</b>	<b>-</b>		<b>root</b>